

Recessed Downlight System



Canali



Colour  10



System Overview



MEASUREMENTS



Housing 150mm Housing 200mm

Parts



Extruded Alum. Traverse set
Length : 500mm/pair



Extruded Alum. Ends set
End cover/pair



Extruded Alum. Back Housing




L-shape Joint module



End cover plate
End cover plate/pair



Canali-Spot Gimbal



Canali-Spot Mini-Swinger



Canali-Spot Micro-Conos

Canali

Recessed channel lighting system

Features

- A system structure made of extruded aluminum of easy installation with an extremely flexible application.
- The spot lights are made of die-cast aluminum and inclusive of anti-glare hoods.
- Transformer or control gear in pre-wired remote unit has to be ordered separately.
- Designed and manufactured to comply with European standard EN 60598.

Applications

- A comprehensive range of multi-directional display lighting system available in wide variety of sizes and configurations, using a wide option of lamp types.
- Application areas: retail, commercial, museum, galleries, exhibits, jewelry shops.



formalighting

formalighting

Canali-Channels




Extruded Alum. Traverse set

8101 Length: 500mm/pair

8102 Length: 1000mm/pair


8103 Length: 2000mm/pair

8104 Length: 3000mm/pair



Extruded Alum. Ends set

8105 End cover/pair




Extruded Alum. Back Housing 150

8106 Length: 500mm x H. 150mm

8107 Length: 1000mm x H. 150mm

8108 Length: 2000mm x H. 150mm




Extruded Alum. Back Housing 200

8112 Length: 500mm x H. 200mm


8113 Length: 1000mm x H. 200mm

8114 Length: 2000mm x H. 200mm




L-shape Joint module 150 (Traverse set included)

8110 H. 150mm




L-shape Joint module 200 (Traverse set included)

8115 H. 200mm




End cover plate 150

8117 H. 150mm End cover/plate/pair



End cover plate 200

8118 H. 200mm End cover/plate/pair




Canali-Spots (Side Mounted)

Canali-Spot Micro-Gimbalo

8301 50W 12V GU5.3 MR16 
10W 12V GU5.3 MR16 LED 


Transformer not included, to be ordered separately.

IP20  

8302 20/35W GX10 MR16 Metal halide 



Control gear not included, to be ordered separately.

IP20  




Canali-Spots (Top Mounted)

Canali-Spot Mini-Swinger



8307 50W 12V GU5.3 MR16 
10W 12V GU5.3 MR16 LED 



Transformer not included, to be ordered separately.

IP20  



8308 35W GX10 MR16 Metal halide 

Control gear not included, to be ordered separately.

IP20  




Canali-Spot Gimbalo



8303 75W 12V G53 AR111 
15W 12V G53 AR111 LED 


Transformer not included, to be ordered separately.

IP20  

8304 35/70W GX8.5 CDM-R111 Metal halide 

Control gear not included, to be ordered separately.

IP20  




Canali-Spot Micro-Conos



8309 50W 12V GU5.3 MR16 
10W 12V GU5.3 MR16 LED 



Transformer not included, to be ordered separately.

IP20  

8310 20/35W GX10 MR16 Metal halide 

Control gear not included, to be ordered separately.


IP20  





Canali-Spot Mini-Conos


8311 Spot Light 10°

8312 Flood Light 40°

20/30/50/70W GX8.5 CDM-TC Metal halide 

Control gear not included, to be ordered separately.

IP20  

8313 50W E27 PAR20 Halogen 

Control gear not included, to be ordered separately.

IP20  

8314 35W E27 PAR20(CDM-R) Metal halide 

Control gear not included, to be ordered separately.

IP20 