

JOKER LINE

design Roberto Fiorato




Range of luminaires for wall, post or inground installation, with cylindrical diffuser and screen in extruded aluminium in different heights.

JOKER LINE is designed for use with high efficiency energy saving T5 and T8 fluorescent lamps, which are also available in various colours.


The fittings provide two light distribution patterns determined by the screening of the lamp chamber, other options available on request.

JOKER LINE and the recessed model Joker Inground are ideal for lighting pedestrian areas, entrances and access roads, to provide orientation or guidance signage. The wall model JOKER LINE WALL is ideal for being placed on colonnades and in hallways.



Fluorescent tubes T5 and T8 can give JOKER LINE interesting shades of coloured light, and add a decorative touch to the practical capacity of fluorescent light.

h max 2,2 m
h min 0,16 m




JOKER INGROUND

LUMINAIRE THAT REQUIRES A FIXING KIT FOR INSTALLATION

G24d-2 1x18 W FSQ

- Recessed inground luminaire for exterior use comprising:
- Extruded aluminium screen with four openings at 90° (Joker Inground 4) featuring directional lighting
 - Other opening arrangements available upon request
 - Cylindrical diffuser made of transparent self-extinguishing polycarbonate, class V-0 rated, 850°C glow wire test
 - Technopolymer electrical gear support, 750°C glow wire test rated
 - Painted aluminium cap and base flange
 - Technopolymer recessed kit for inground installation to be ordered separately




lampholder	W	colour	class	IP	Kelvin	$\text{Cos } \phi \geq 0,9$	EEL	code	notes
------------	---	--------	-------	----	--------	-----------------------------	-----	------	-------

JOKER INGROUND 4 H.155

Fluorescent - magnetic ballast 230 V 50 Hz

G24d-2	1x18 W	FSQ	GR3	I	67	• •	2700	IK07 2J xx5	≤B2	006834
G24d-2	1x18 W	FSQ	AN3	I	67	• •	2700	IK07 2J xx5	≤B2	006835

If information about Kelvin degrees is provided, this means that the lamp is included.



description	colour	code
-------------	--------	------

Recessing fixing kit		000742
----------------------	--	--------

GR3

AN3

COMPLETE UNIT

1A+1B = please order 2 codes

COMPONENTS

- A luminaire
- B recessed fixing kit

