


Multigimbalo Trim



Multigimbalo Trim

Recessed fully adjustable downlights system

Features

- 0° to 40° versatile directional tilting angle.
- Housing made of die formed galvanized steel with black interior.
- Directional rings made of die cast aluminum.
- Reflector made of super pure anodized aluminum.
- Installation springs suitable for ceiling thickness up to max 30mm.
- Transformer or control gear in pre-wired remote unit has to be ordered separately.
- Designed and manufactured to comply with European standard EN 60598.

Applications

- Comprehensive lighting system with directional adjustability.
- Available in 3 sizes.
- Multiple lamp types, including HID and Halogen, compact fluorescent, and LED.
- Mini and Micro Multigimbalo Trim versions are also available. Ideal for areas with less available ceiling surfaces or smaller spaces.
- Application areas: retail, department stores, window displays, residential, restaurants, hotels, museums, galleries, showrooms, exhibits.



Multigimbalo Trim 1

5399	12W	E27 PAR 30 LED
5400	70W	E27 PAR30 (CDM-R) Metal halide **
5194	35/50/70W	G12 CDM-T (Spot Light 10°) **
5196	35/50/70W	G12 CDM-T (Flood Light 40°) **
5403	35/70W	GX8.5 CDM-R111 Metal halide **
5405	75W	12V G53 AR111 *
	15W	12V G53 AR111 LED *



Multigimbalo Trim 2

5406	2x12W	E27 PAR 30 LED
5407	2x70W	E27 PAR30 (CDM-R) Metal halide **
5408	2x35/50/70W	G12 CDM-T (Spot Light 10°) **
5409	2x35/50/70W	G12 CDM-T (Flood Light 40°) **
5816	35/50/70W	G12 CDM-T (Flood Light 40°) **
	+ 75W	12V G53 AR111 *
	+ 15W	12V G53 AR111 LED *
5412	2x35/70W	GX8.5 CDM-R111 Metal halide **
5414	2x75W	12V G53 AR111 *
	2x15W	12V G53 AR111 LED *
5650	35/70W	GX8.5 CDM-R111 Metal halide **
	+ 75W	12V G53 AR111 *
	+ 15W	12V G53 AR111 LED *



Multigimbalo Trim 3

5415	3x12W	E27 PAR 30 LED
5416	3x70W	E27 PAR30 (CDM-R) Metal halide **
5417	3x35/50/70W	G12 CDM-T (Spot Light 10°) **
5418	3x35/50/70W	G12 CDM-T (Flood Light 40°) **
5584	35/50/70W	G12 CDM-T (Flood Light 40°) **
	+ 2x75W	12V G53 AR111 *
	+ 2x15W	12V G53 AR111 LED *
5585	2x35/50/70W	G12 CDM-T (Flood Light 40°) **
	+ 75W	12V G53 AR111 *
	+ 15W	12V G53 AR111 LED *
5421	3x35/70W	GX8.5 CDM-R111 Metal halide **
5423	3x75W	12V G53 AR111 *
	3x15W	12V G53 AR111 LED *
5669	35/70W	GX8.5 CDM-R111 Metal halide **
	+ 2x75W	12V G53 AR111 *
	+ 2x15W	12V G53 AR111 LED *
5782	2x35/70W	GX8.5 CDM-R111 Metal halide **
	+ 75W	12V G53 AR111 *
	+ 15W	12V G53 AR111 LED *



Multigimbalo Trim 4

5424	4x12W	E27 PAR 30 LED
5425	4x70W	E27 PAR30 (CDM-R) Metal halide **
5426	4x35/50/70W	G12 CDM-T (Spot Light 10°) **
5427	4x35/50/70W	G12 CDM-T (Flood Light 40°) **
5065	2x35/50/70W	G12 CDM-T (Flood Light 40°) **
	+ 2x75W	12V G53 AR111 *
	+ 2x15W	12V G53 AR111 LED *
5430	4x35/70W	GX8.5 CDM-R111 Metal halide **
5432	4x75W	12V G53 AR111 *
	4x15W	12V G53 AR111 LED *
5064	2x35/70W	GX8.5 CDM-R111 Metal halide **
	+ 2x75W	12V G53 AR111 *
	+ 2x15W	12V G53 AR111 LED *



Multigimbalo Trim TC-L

5433	2x12W	E27 PAR 30 LED +
5434	2x70W	E27 PAR30 (CDM-R) Metal halide ** +
5193	2x35/50/70W	G12 CDM-T (Spot Light 10°) ** +
5195	2x35/50/70W	G12 CDM-T (Flood Light 40°) ** +
5437	2x35/70W	GX8.5 CDM-R111 Metal halide ** +
5439	2x75W	12V G53 AR111 * +
	2x15W	12V G53 AR111 LED * +
	+ 2x55W	2G11 TC-L Fluorescent ***

IP23






Remarks

* Remote Box with electronic transformer not included. To be ordered separately. Class III luminaries .

** Control gear not included. To be ordered separately.

*** Ballast included for compact fluorescent version.


50/100W GX12-1 SON SDW-TG H.P. Sodium version is available upon request.






Mini-Multigimbalo Trim 1

- 5440** 7W E27 PAR 20 LED
 - 5441** 35W E27 PAR 20 (CDM-R) Metal halide **
 - 5443** 30/50/70W G8.5 CDM-TC (Spot Light 15°) **
 - 5444** 30/50/70W G8.5 CDM-TC (Flood Light 55°) **
- IP23 Ⓢ Ⓡ Ⓢ Ⓢ




Mini-Multigimbalo Trim 2

- 5445** 2x7W E27 PAR 20 Halogen
 - 5446** 2x35W E27 PAR 20 (CDM-R) Metal halide **
 - 5448** 2x30/50/70W G8.5 CDM-TC (Spot Light 15°) **
 - 5449** 2x30/50/70W G8.5 CDM-TC (Flood Light 55°) **
- IP23 Ⓢ Ⓡ Ⓢ Ⓢ




Mini-Multigimbalo Trim 3

- 5450** 3x7W E27 PAR 20 Halogen
 - 5451** 3x35W E27 PAR 20 (CDM-R) Metal halide **
 - 5453** 3x30/50/70W G8.5 CDM-TC (Spot Light 15°) **
 - 5454** 3x30/50/70W G8.5 CDM-TC (Flood Light 55°) **
- IP23 Ⓢ Ⓡ Ⓢ Ⓢ




Mini-Multigimbalo Trim 4

- 5455** 4x7W E27 PAR 20 Halogen
 - 5456** 4x35W E27 PAR 20 (CDM-R) Metal halide **
 - 5458** 4x30/50/70W G8.5 CDM-TC (Spot Light 15°) **
 - 5459** 4x30/50/70W G8.5 CDM-TC (Flood Light 55°) **
- IP23 Ⓢ Ⓡ Ⓢ Ⓢ



Mini-Multigimbalo Trim TC-L

- 5460** 2x7W E27 PAR 20 Halogen +
 - 5461** 2x35W E27 PAR 20 (CDM-R) Metal halide ** +
 - 5463** 2x35/70W G8.5 CDM-TC (Spot Light 15°) ** +
 - 5464** 2x35/70W G8.5 CDM-TC (Flood Light 55°) ** +
- + 2x36W 2G11 TC-L Fluorescent ***
- IP23 Ⓢ Ⓡ Ⓢ Ⓢ




Micro-Multigimbalo Trim 1

- 5465** 50W 12V GU5.3 MR16 *
- 10W 12V GU5.3 MR16 LED *
- 5750** 20/35W GX10 MR16 Metal halide **



IP23 Ⓢ Ⓡ Ⓢ Ⓢ




Micro-Multigimbalo Trim 2

- 5466** 2x50W 12V GU5.3 MR16 *
- 2x10W 12V GU5.3 MR16 LED *
- 5751** 2x35W GX10 MR16 Metal halide **



IP23 Ⓢ Ⓡ Ⓢ Ⓢ




Micro-Multigimbalo Trim 3

- 5467** 3x50W 12V GU5.3 MR16 *
- 3x10W 12V GU5.3 MR16 LED *
- 5752** 3x35W GX10 MR16 Metal halide **



IP23 Ⓢ Ⓡ Ⓢ Ⓢ




Micro-Multigimbalo Trim 4

- 5468** 4x50W 12V GU5.3 MR16 *
- 4x10W 12V GU5.3 MR16 LED *
- 5971** 4x35W GX10 MR16 Metal halide **




IP23 Ⓢ Ⓡ Ⓢ Ⓢ



Micro-Multigimbalo Trim TC-L

- 5469** 2x50W 12V GU5.3 MR16 * +
 - 2x10W 12V GU5.3 MR16 LED * +
 - 5988** 2x35W GX10 MR16 Metal halide ** +
 - + 1x36W 2G11 TC-L Fluorescent ***
- IP23 Ⓢ Ⓡ Ⓢ Ⓢ




















Remarks

- * Remote Box with electronic transformer not included. To be ordered separately. Class III luminaries Ⓢ.
- ** Control gear not included. To be ordered separately.
- *** Ballast included for compact fluorescent version.

Remarks

- * Remote Box with electronic transformer not included. To be ordered separately. Class III luminaries Ⓢ.
- ** Control gear not included. To be ordered separately.
- *** Ballast included for compact fluorescent version.

Multigimbalo Trim Accessories Table


Accessories	Coloured Filters	Refractor	UV Filter	Honeycomb Louvre	Anti-Glare Hood
Light Source					
Multigimbalo Trim					
PAR30 CDM-R 	2599	2598	2600	2334	
AR111 	2599	2598	2600	2334	
AR111 LED 	2599	2598	2600	2334	
G12 CDM-T 	2203	2206	2208	2334	
PAR 30 LED 	2599	2598	2600	2334	
CDM-R111 					
Mini-Multigimbalo Trim					
G8.5 CDM-TC 	2162	2165	2168		
PAR20 LED 					
PAR20 CDM-R 					
Micro-Multigimbalo Trim					
MR16 	2163	2166		2172	2321
MR16 LED 					
GX10 MR16 	2163	2166		2172	2321

Accessories




Coloured Filters

Available in colours 25, 42, 55, 85



UV Filter

Available in colour 41



Refractor

Available in colour 41



Honeycomb Louvre

Available in colour 10



Anti-Glare Hood

2321 For Micro-Multigimbalo Trim

Available in colour 10

