



# Multigimbalo Trimless



One fixing trim can allow the installation for two different ceiling thicknesses.



## Multigimbalo Trimless

Recessed fully adjustable downlights system

### Features

- 0° to 40° directional tilting angle.
- Housing made of die formed galvanized steel with black interior.
- Directional rings made of die cast aluminum.
- Reflector made of super pure anodized aluminum.
- Installation system to ceiling is using a Trimless Kit supplied with product. To be installed in false ceilings of various thickness up to max of 15mm.
- Transformer or control gear in pre-wired remote unit has to be ordered separately.
- Designed and manufactured to comply with European standard EN 60598.

### Applications

- Comprehensive lighting system with directional adjustability.
- Available in 3 sizes.
- Wide range of lamp options, including HID and Halogen, compact fluorescent, and LED.
- Mini and Micro Multigimbalo Trimless versions are also available. Ideal for areas with less available ceiling surfaces or smaller spaces.
- Application areas: retail, department stores, window displays, residential, restaurants, hotels, museums, galleries, showrooms, exhibits.



## Multigimbalo Trimless 1

5470	12W E27 PAR 30 LED
5471	70W E27 PAR30 (CDM-R) Metal halide **
5472	35/50/70W G12 CDM-T (Spot Light 10°) **
5473	35/50/70W G12 CDM-T (Flood Light 40°) **
5476	35/70W GX8.5 CDM-R111 Metal halide **
5478	75W 12V G53 AR111 * 15W 12V G53 AR111 LED *



## Multigimbalo Trimless 2

5479	2x12W E27 PAR 30 LED
5480	2x70W E27 PAR30 (CDM-R) Metal halide **
5481	2x35/50/70W G12 CDM-T (Spot Light 10°) **
5482	2x35/50/70W G12 CDM-T (Flood Light 40°) **
5649	35/50/70W G12 CDM-T (Flood Light 40°) ** + 75W 12V G53 AR111 * + 15W 12V G53 AR111 LED *
5485	2x35/70W GX8.5 CDM-R111 Metal halide **
5487	2x75W 12V G53 AR111 * 2x15W 12V G53 AR111 LED *
5642	35/70W GX8.5 CDM-R111 Metal halide ** + 75W 12V G53 AR111 * + 15W 12V G53 AR111 LED *



## Multigimbalo Trimless 3

5488	3x12W E27 PAR 30 LED
5489	3x70W E27 PAR30 (CDM-R) Metal halide **
5490	3x35/50/70W G12 CDM-T (Spot Light 10°) **
5491	3x35/50/70W G12 CDM-T (Flood Light 40°) **
5582	35/50/70W G12 CDM-T (Flood Light 40°) ** + 2x75W 12V G53 AR111 * + 2x15W 12V G53 AR111 LED *
5645	2x35/50/70W G12 CDM-T (Flood Light 40°) ** + 75W 12V G53 AR111 * + 15W 12V G53 AR111 LED *
5494	3x35/70W GX8.5 CDM-R111 Metal halide **
5496	3x75W 12V G53 AR111 * 3x15W 12V G53 AR111 LED *
5636	35/70W GX8.5 CDM-R111 Metal halide ** + 2x75W 12V G53 AR111 * + 2x15W 12V G53 AR111 LED *
5030	2x35/70W GX8.5 CDM-R111 Metal halide ** + 75W 12V G53 AR111 * + 15W 12V G53 AR111 LED *



## Multigimbalo Trimless 4

5497	4x12W E27 PAR 30 LED
5498	4x70W E27 PAR30 (CDM-R) Metal halide **
5499	4x35/50/70W G12 CDM-T (Spot Light 10°) **
5500	4x35/50/70W G12 CDM-T (Flood Light 40°) **
5067	2x35/50/70W G12 CDM-T (Flood Light 40°) ** + 2x75W 12V G53 AR111 * + 2x15W 12V G53 AR111 LED *
5503	4x35/70W GX8.5 CDM-R111 Metal halide **
5505	4x75W 12V G53 AR111 * 4x15W 12V G53 AR111 LED *
5066	2x35/70W GX8.5 CDM-R111 Metal halide ** + 2x75W 12V G53 AR111 * + 2x15W 12V G53 AR111 LED *




## Multigimbalo Trimless TC-L

5506	2x12W E27 PAR 30 LED +
5507	2x70W E27 PAR30 (CDM-R) Metal halide ** +
5508	2x35/50/70W G12 CDM-T (Spot Light 10°) ** +
5509	2x35/50/70W G12 CDM-T (Flood Light 40°) ** +
5512	2x35/70W GX8.5 CDM-R111 Metal halide ** +
5514	2x75W 12V G53 AR111 * 2x15W 12V G53 AR111 LED * + 2x55W 2G11 TC-L Fluorescent ***

IP23

### Remarks

- \* Remote Box with electronic transformer not included. To be ordered separately. Class III luminaries .
  - \*\* Control gear not included. To be ordered separately.
  - \*\*\* Ballast included for compact fluorescent version.
  - \*\*\*\* Control gear and transformer not included. To be ordered separately. Safety glass included.
- 50/100W GX12-1 SON SDW-TG H.P. Sodium version is available upon request.






### Mini-Multigimbalo Trimless 1

- 5515** 7W E27 PAR 20 LED
- 5516** 35W E27 PAR 20 (CDM-R) Metal halide \*\*
- 5518** 30/50/70W G8.5 CDM-TC (Spot Light 15°) \*\*
- 5519** 30/50/70W G8.5 CDM-TC (Flood Light 55°) \*\*


IP23 ☹️ ⚡️ CE



### Mini-Multigimbalo Trimless 2

- 5520** 2x7W E27 PAR 20 LED
- 5521** 2x35W E27 PAR 20 (CDM-R) Metal halide \*\*
- 5523** 2x30/50/70W G8.5 CDM-TC (Spot Light 15°) \*\*
- 5524** 2x30/50/70W G8.5 CDM-TC (Flood Light 55°) \*\*


IP23 ☹️ ⚡️ CE



### Mini-Multigimbalo Trimless 3

- 5525** 3x7W E27 PAR 20 LED
- 5526** 3x35W E27 PAR 20 (CDM-R) Metal halide \*\*
- 5528** 3x30/50/70W G8.5 CDM-TC (Spot Light 15°) \*\*
- 5529** 3x30/50/70W G8.5 CDM-TC (Flood Light 55°) \*\*


IP23 ☹️ ⚡️ CE



### Mini-Multigimbalo Trimless 4

- 5530** 4x7W E27 PAR 20 LED
- 5531** 4x35W E27 PAR 20 (CDM-R) Metal halide \*\*
- 5533** 4x30/50/70W G8.5 CDM-TC (Spot Light 15°) \*\*
- 5534** 4x30/50/70W G8.5 CDM-TC (Flood Light 55°) \*\*


IP23 ☹️ ⚡️ CE



### Mini-Multigimbalo Trimless TC-L

- 5535** 2x7W E27 PAR 20 LED +
- 5536** 2x35W E27 PAR 20 (CDM-R) Metal halide \*\* +
- 5538** 2x35/70W G8.5 CDM-TC (Spot Light 15°) \*\* +
- 5539** 2x35/70W G8.5 CDM-TC (Flood Light 55°) \*\* +  
+ 2x36W 2G11 TC-L Fluorescent \*\*\*


IP23 ☹️ ⚡️ CE



### Micro-Multigimbalo Trimless 1

- 5540** 50W 12V GU5.3 MR16 \*  
10W 12V GU5.3 MR16 LED \*
- 5753** 20/35W GX10 MR16 Metal halide \*\*


IP23 ☹️ ⚡️ CE



### Micro-Multigimbalo Trimless 2

- 5541** 2x50W 12V GU5.3 MR16 \*  
2x10W 12V GU5.3 MR16 LED \*
- 5754** 2x35W GX10 MR16 Metal halide \*\*


IP23 ☹️ ⚡️ CE



### Micro-Multigimbalo Trimless 3

- 5542** 3x50W 12V GU5.3 MR16 \*  
3x10W 12V GU5.3 MR16 LED \*
- 5755** 3x35W GX10 MR16 Metal halide \*\*


IP23 ☹️ ⚡️ CE



### Micro-Multigimbalo Trimless 4

- 5543** 4x50W 12V GU5.3 MR16 \*  
4x10W 12V GU5.3 MR16 LED \*
- 5989** 4x35W GX10 MR16 Metal halide \*\*


IP23 ☹️ ⚡️ CE



### Micro-Multigimbalo Trimless TC-L

- 5544** 2x50W 12V GU5.3 MR16 \* +  
2x10W 12V GU5.3 MR16 LED \* +
- 5990** 2x35W GX10 MR16 Metal halide \*\* +  
+ 1x36W 2G11 TC-L Fluorescent \*\*\*

IP23 ☹️ ⚡️ CE




















#### Remarks

- \* Remote Box with electronic transformer not included. To be ordered separately. Class III luminaires ⚡️.
- \*\* Control gear not included. To be ordered separately.
- \*\*\* Ballast included for compact fluorescent version.

#### Remarks

- \* Remote Box with electronic transformer not included. To be ordered separately. Class III luminaires ⚡️.
- \*\* Control gear not included. To be ordered separately. Safety glass included.
- \*\*\* Ballast included for compact fluorescent version.

**Multigimbalo Trimless Accessories Table**


Accessories	Coloured Filters	Refractor	UV Filter	Honeycomb Louvre	Anti-Glare Hood
Light Source					
<b>Multigimbalo Trim</b>					
PAR30 CDM-R 	2599	2598	2600	2334	
AR111 	2599	2598	2600	2334	
AR111 LED 	2599	2598	2600	2334	
G12 CDM-T 	2203	2206	2208	2334	
PAR 30 LED 	2599	2598	2600	2334	
CDM-R111 					
<b>Mini-Multigimbalo Trim</b>					
G8.5 CDM-TC 	2162	2165	2168		
PAR20 LED 					
PAR20 CDM-R 					
<b>Micro-Multigimbalo Trim</b>					
MR16 	2163	2166		2172	2321
MR16 LED 					
GX10 MR16 	2163	2166		2172	2321

**Accessories**




**Coloured Filters**

Available in colours 25, 42, 55, 85



**UV Filter**

Available in colour 41



**Refractor**

Available in colour 41



**Honeycomb Louvre**

Available in colour 10



**Anti-Glare Hood**

**2321** For Micro-Multigimbalo Trim

Available in colour 10

