

IP 55

class I

IK05 0,70J xx3
IK07 2J xx5
IK06 1J xx3



TARTARUGA

design Roberto Fiorato

Series of round and oval wall and ceiling mounted luminaires, for indoor and outdoor lighting, comprising:

- Die-cast polished brass body, guard and louvre
- Pressed glass diffuser, internally matt
- Brass cable clamp and brass wing nuts to secure guard and diffuser (Allen head screw for Visa version)
- Polymer gasket
- Metals with natural finish surface may oxidise with age. To restore the original brightness use commercial metal polish

Runde und ovale Wand- und Deckenleuchten aus Messing für Innen- und Außenbereiche, in fünf Größen, bestehend aus:

- Gehäuse, Gitter und Blende aus reinem, glänzenden Messing
- Diffusor aus gepresstem, innen mattiertem Glas
- Flügelschrauben und Kabelverschraubungen aus Messing (Inbusschrauben für Blendenausführung)
- Dichtungen aus Polymer
- Unbehandeltes Messing unterliegt einem natürlichen Oxidationsprozess. Mit einer herkömmlichen Metall- bzw. Messingpolitur können Sie den ursprünglichen Glanz wieder herstellen



LAMPHOLDER	COLOUR CLASS	COS φ	CODE	NOTES
FASSUNG W	ILCOS FARBE KLASSE	KELVIN ≥ 0,9 EEI	BESTELLN.R.	BEMERKNG. EURO

TARTARUGA TONDA 100

E27	max 1x60W IAA	BR1	I •	007602
-----	---------------	-----	-----	--------


IK07 2J xx5



E27
max 1x60W



E27
1x9W Philips PL-E



TARTARUGA TONDA 200

E27	max 1x75W IAA	BR1	I •	007603
-----	---------------	-----	-----	--------


IK06 1J xx3



E27
max 1x75W



E27
1x5W Dulux EL Longlife




PACKAGE SIZE / VERPACKUNGSMASSE

TARTARUGA TONDA 100
22,5 x 21 x 54,5 cm
(master x 5)

TARTARUGA TONDA 200
24,5 x 23 x 55 cm
(master x 5)

DISTANCE BETWEEN FIXING HOLES / BOHRLOCHABSTAND







LAMPHOLDER	COLOUR CLASS	COS φ	CODE	NOTES
FASSUNG W	ILCOS FARBE KLASSE	KELVIN ≥ 0,9 EEI	BESTELNR.	BEMERKNG. EURO

TARTARUGA TONDA 100 VISA

E27	max 1x40w IAA	BR1	I •	007608
-----	---------------	-----	-----	---------------



IK07 2J xx5



TARTARUGA TONDA 200 VISA

E27	max 1x60w IAA	BR1	I •	007609
-----	---------------	-----	-----	---------------

IK06 1J xx3




ONLY FOR WALL
INSTALLATION
NUR AN DER WAND
INSTALLIERBAR

PACKAGE SIZE / VERPACKUNGSMÄßE

TARTARUGA TONDA 100 VISA
22,5 x 21 x 54,5 cm
(master x 5)

TARTARUGA TONDA 200 VISA
24,5 x 23 x 55 cm
(master x 5)

DISTANCE BETWEEN FIXING HOLES / BOHRLOCHABSTAND



BR1
POLISHED BRASS
NATURBELASSENES MESSING

IP 55

class I

IK05 0,70J xx3
IK07 2J xx5
IK06 1J xx3




TARTARUGA OVALE 60

E27 max 1x40w IAA BR1 I • **007600**

IK05 0,70J xx3



E27
max 1x40W



TARTARUGA OVALE 150

E27 max 1x60w IAA BR1 I • **007604**

IK06 1J xx3




E27
max 1x60W



E27
1x20W Dulux EL Longlife



E27
1x20W Philips PL-E



TARTARUGA OVALE 200

E27 max 1x100w IAA BR1 I • **007601**

IK07 2J xx5




E27
max 1x100W



E27
1x20W Dulux EL Longlife



E27
1x23W Philips PL-E




PACKAGE SIZE / VERPACKUNGSMÄßE

TARTARUGA OVALE 60
19 x 13,5 x 57,8 cm
(master x 5)

TARTARUGA OVALE 200
28,2 x 21,5 x 83 cm
(master x 5)

TARTARUGA OVALE 150
25,5 x 18 x 61 cm
(master x 5)

DISTANCE BETWEEN FIXING HOLES / BOHRLOCHABSTAND



LAMPHOLDER	COLOUR CLASS		COS φ		CODE	NOTES	
FASSUNG W	ILCOS	FARBE	KLASSE	KELVIN	≥ 0,9	EEL	BESTELLNR. BEMERKNG. EURO




TARTARUGA OVALE 60 VISA

E27	max 1x40w IAA	BR1	I	•	007614
-----	---------------	-----	---	---	---------------

IK05 0,70J xx3



E27
max 1x40W



ONLY FOR WALL
INSTALLATION
NUR AN DER WAND
INSTALLIERBAR

TARTARUGA OVALE 150 VISA

E27	max 1x60w IAA	BR1	I	•	007606
-----	---------------	-----	---	---	---------------

IK06 1J xx3




E27
max 1x60W



E27
1x20W Dulux EL Longlife



E27
1x20W Philips PL-E



TARTARUGA OVALE 200 VISA

E27	max 1x75w IAA	BR1	I	•	007607
-----	---------------	-----	---	---	---------------

IK07 2J xx5




E27
max 1x100W



E27
1x20W Dulux EL Longlife



E27
1x23W Philips PL-E



PACKAGE SIZE / VERPACKUNGSMÄßE



TARTARUGA OVALE 60 VISA
19 x 13,5 x 57,8 cm
(master x 5)




TARTARUGA OVALE 200 VISA
28,2 x 21,5 x 83 cm
(master x 5)



TARTARUGA OVALE 150 VISA
25,5 x 18 x 61 cm
(master x 5)

DISTANCE BETWEEN FIXING HOLES / BOHRLOCHABSTAND



BR1
POLISHED BRASS
NATURBELASSENES MESSING