




# ZERO

design Roberto Fiorato - Franco Pagliarini



Range of LED luminaires for indoors and outdoors, with light beams directed in four different combinations. ZERO has a plastic base and a cover in polished or satin finish aluminium. Each luminaire is provided with a blue screen to produce coloured light. ZERO's compact size makes it particularly suitable for accent lighting.





# ZERO

## ZERO 1 LED

1 LED - 0,3 W

## ZERO 2 LED 90°

2 LED 90° - 0,6 W

## ZERO 2 LED 180°

2 LED 180° - 0,6 W

## ZERO 4 LED

4 LED - 1,2 W

Series of indoor or outdoor wall mount luminaires, comprising:

- Techno-polymer body
- Aluminium cover
- Stainless steel locking screws
- Anti-oxidisation treatment
- Each luminaire is supplied with a blue filter to create a coloured light





lampholder	W	ILCOS	colour	class	IP	Kelvin	$\text{Cos } \phi \geq 0,9$	EEL	code	notes
------------	---	-------	--------	-------	----	--------	-----------------------------	-----	------	-------

	<b>ZERO 1 LED</b>										
	<b>LED voltage</b>										
	1 LED - 0,3 W	CR1	III	44	• 6000	IK02 0,20J xx0			700246		
	1 LED - 0,3 W	CR2	III	44	• 6000	IK02 0,20J xx0			700245		
	<b>ZERO 2 LED 90°</b>										
	<b>LED voltage</b>										
	2 LED 90° - 0,6 W	CR1	III	44	• 6000	IK02 0,20J xx0			700248		
	2 LED 90° - 0,6 W	CR2	III	44	• 6000	IK02 0,20J xx0			700247		
	<b>ZERO 2 LED 180°</b>										
	<b>LED voltage</b>										
	2 LED 180° - 0,6 W	CR1	III	44	• 6000	IK02 0,20J xx0			700250		
	2 LED 180° - 0,6 W	CR2	III	44	• 6000	IK02 0,20J xx0			700249		
	<b>ZERO 4 LED</b>										
	<b>LED voltage</b>										
	4 LED - 1,2 W	CR1	III	44	• 6000	IK02 0,20J xx0			700252		
	4 LED - 1,2 W	CR2	III	44	• 6000	IK02 0,20J xx0			700251		

If information about Kelvin degrees is provided, this means that the lamp is included.

description	colour	code
Driver kit with voltage 220/240 V 12 V DC 10 W		700243
Driver kit with voltage 220/240 V 12 V DC 3 W		700242
Driver kit with voltage 220/240 V 12 V DC 40 W		700244





700243



700244



700242