

TRECENTOESSANTAGRADI

Design Ufficio Stile I Tre

Orientabile, in vetro termoresistente lucido con parte centrale satinata / Adjustable diffuser, in heat-resistant polished glass, central part in satin finish / Orientable, en verre thermorésistant poli avec la partie centrale satinée / Schwenkbar, aus temperaturbeständigem Glas, Mittelseite satiniert / Orientable, en cristal termorresistente parcialmente satinado / Регулируемый рассеиватель из огнеупорного полированного стекла с матовой вставкой.

T. 120 L 14.5-5.3/4" ~ H 3-1.1/8" ~ P 11-4.1/2"

T. 200 L 23.5-9.1/4" ~ H 4.5-1.3/4" ~ P 18-7.1/8"

T. 370 L 41-16.1/8" ~ H. 5.5-2.1/8" ~ P 32-12.5/8"

Disponibile/Available



Colore/Color









TRECENTOESSANTAGRADI

Design Ufficio Stile I Tre

Orientabile, in vetro termoresistente lucido con parte centrale satinata / Adjustable diffuser, in heat-resistant polished glass, central part in satin finish / Orientable, en verre thermorésistant poli avec la partie centrale satinée / Schwenkbar, aus temperaturbeständigem Glas, Mittelseite satiniert / Orientable, en cristal termorresistente parcialmente satinado / Регулируемый рассеиватель из огнеупорного полированного стекла с матовой вставкой.

T. 200 SNODO

L 23.5x15 ~ H 75.5-29.3/4" ~ P 15-5.7/8"

Disponibile/Available



Colore/Color





TRECENTOESSANTAGRADI

Design Ufficio Stile | Tre

Diffusore/Diffuser/Diffuseur/Schirm/Difusor/ПЛАФОН

Orientabile, in vetro termoresistente lucido con parte centrale satinata. A richiesta è disponibile lo schermo paraluce in alluminio / Adjustable diffuser, in heat-resistant polished glass, central part in satin finish. On demand light protector in aluminium / Orientable, en verre thermorésistant poli avec la partie centrale satinée. Sur demande, protection anti éblouissement en aluminium / Schwenkbar, aus temperaturbeständigem Glas, Mittelseite satiniert. Auf Wunsch Schutzschirm aus Aluminium / Orientable, en cristal termosterresistente parcialmente satinado. Se puede disponer de protector de luz en aluminio / Регулируемый рассеиватель из огнеупорного полированного стекла с матовой вставкой.

TRECENTOESSANTAGRADI 120

pagina/page 117

Parete-soffitto/Wall-ceiling lamp/Applique-plafonnier/Wand-Deckenleuchte/ Applique-plafón/на стены-потолок


Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА

Metallo laccato bianco, cromo lucido o nichel satinato / White lacquered metal, chromed metal or brushed nickel / Métal laqué blanc, métal chromé ou nickel brossé / Metall mit Lackierung in Weiß, verchromtes Metall oder Nickel gebürstet / Metal lacado blanco, metal cromado o níquel matizado / Металл, покрытый белым лаком, хром или полированный никель.

Diffusore/Diffuser/Diffuseur/Schirm/Difusor/ПЛАФОН

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА

1 x max 75W Halopin G9



Curve fotometriche/
Photometric lab
pagina/page 315



TRECENTOESSANTAGRADI 200

pagina/page 114

Parete-soffitto/Wall-ceiling lamp/Applique-plafonnier/Wand-Deckenleuchte/ Applique-plafón/на стены-потолок

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА


Metallo laccato bianco, cromo lucido o nichel satinato / White lacquered metal, chromed metal or brushed nickel / Métal laqué blanc, métal chromé ou nickel brossé / Metall mit Lackierung in Weiß, verchromtes Metall oder Nickel gebürstet / Metal lacado blanco, metal cromado o níquel matizado / Металл, покрытый белым лаком, хром или полированный никель.

Diffusore/Diffuser/Diffuseur/Schirm/Difusor/ПЛАФОН


Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА

Parete/Wall: 1 x max 200W alogena lineare R7s 80 mm

Soffitto/Ceiling: 1 x max 150W alogena lineare R7s 80 mm



Curve fotometriche/
Photometric lab
pagina/page 315



TRECENTOESSANTAGRADI 370

pagina/page 114

Parete-soffitto/Wall-ceiling lamp/Applique-plafonnier/Wand-Deckenleuchte/ Applique-plafón/на стены-потолок


Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА

Cromo lucido o nichel satinato / Chromed metal or brushed nickel / Métal chromé ou nickel brossé / Verchromtes Metall oder Nickel gebürstet / Metal cromado o níquel matizado / Хром или полированный никель.


Diffusore/Diffuser/Diffuseur/Schirm/Difusor/ПЛАФОН

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА

1 x max 500W alogena lineare R7s 114 mm



Curve fotometriche/
Photometric lab
pagina/page 315




Parete-soffitto/Wall-ceiling lamp/Applique-plafonnier/Wand-Deckenleuchte/Applique-plafón/на стены-потолок

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА
 Cromo lucido o nichel satinato / Chromed metal or brushed nickel / Métal chromé ou nickel brossé / Verchromtes Metall oder Nickel gebürstet / Metal cromado o niquel matizado / Хром или полированный никель.

Diffusore/Diffuser/Diffuseur/Schirm/Difusor/ПЛАФОН

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА

 1 x max 200W alogena lineare R7s 80 mm





Parete-terra/Wall-floor lamp/Applique-lampadaire/Wand-Stehleuchte/Applique-pie/бра-торшер

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА
 Cromo lucido o nichel satinato / Chromed metal or brushed nickel / Métal chromé ou nickel brossé / Verchromtes Metall oder Nickel gebürstet / Metal cromado o niquel matizado / Хром или полированный никель.

Diffusore/Diffuser/Diffuseur/Schirm/Difusor/ПЛАФОН

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА

 1 x max 200W alogena lineare R7s 80 mm



Terra/Floor lamp/Lampadaire/Stehleuchte/Lámpara de pie/торшер

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА
 Cromo lucido o nichel satinato / Chromed metal or brushed nickel / Métal chromé ou nickel brossé / Verchromtes Metall oder Nickel gebürstet / Metal cromado o niquel matizado / Хром или полированный никель.

Diffusore/Diffuser/Diffuseur/Schirm/Difusor/ПЛАФОН

Montatura/Construction/Armature/Gestell/Soporte/ОПРАВА

 1 x max 200W alogena lineare R7s 80 mm

