

IP 40
IP 44

class I

IK06 1J xx3
IK07 2J xx5



QUASAR






design R. Fiorato - F. Pagliarini

Wall and ceiling mounted luminaires for light effects, for indoor and outdoor lighting, comprising:

- Die-cast painted aluminium body
- Glass diffuser
- Polymer gasket
- Stainless steel locking screws

Wand- und Deckenleuchten für Inn- und Außenbereiche für Lichteffekte, bestehend aus:

- Gehäuse aus Aluminiumdruckguss
- Flachglasscheibe
- Dichtungen aus Polymer
- Inbus-Schrauben aus Edelstahl



LAMPHOLDER COLOUR CLASS COS φ CODE NOTES
 FASSUNG W ILCOS FARBE KLASSE KELVIN ≥ 0,9 EEI BESTELLNR. BEMERKNG. EURO




QUASAR 1 NB

Halogen/Halogenlampen

G9	1x40w	HSG	WH1	I	700253
G9	1x40w	HSG	GR2	I	700254
G9	1x40w	HSG	AN3	I	700255

IK07 2J xx5 IP44

G9 clear
max 1x40W




QUASAR 2 NB 180°

Halogen/Halogenlampen

G9	1x40w	HSG	WH1	I	700259
G9	1x40w	HSG	GR2	I	700260
G9	1x40w	HSG	AN3	I	700261

IK07 2J xx5 IP44

G9 clear
max 1x40W




QUASAR 2 NB 90°

Halogen/Halogenlampen

G9	1x40w	HSG	WH1	I	700256
G9	1x40w	HSG	GR2	I	700257
G9	1x40w	HSG	AN3	I	700258

IK07 2J xx5 IP44

G9 clear
max 1x40W




QUASAR 4NB

Halogen/Halogenlampen

G9	1x40w	HSG	WH1	I	700262
G9	1x40w	HSG	GR2	I	700263
G9	1x40w	HSG	AN3	I	700264

IK07 2J xx5 IP44


G9 clear
max 1x40W



PACKAGE SIZE / VERPACKUNGSMASSE

37 x 15 x 25 cm
(master x 6)

DISTANCE BETWEEN FIXING HOLES / BOHRLOCHABSTAND



VERY NARROW BEAM
LIGHT 2°
PUNKTSTRAHLER 2°



WH1
WHITE
WEISS



GR2
GLOSS METALLIC GREY
GRAU METALLIC, POLIERT



AN3
MAT METALLIC ANTHRACITE
ANTHRIZIT METALLIC, MATT

IP 40
IP 44

class I

IK06 1J xx3
IK07 2J xx5



QUASAR 1W


Halogen/Halogenlampen

G9	1x40w	HSG	WH1	I	700265
G9	1x40w	HSG	GR2	I	700266
G9	1x40w	HSG	AN3	I	700267

IK06 1J xx3 IP44



G9 clear
max 1x40W



QUASAR 2W


Halogen/Halogenlampen

G9	1x40w	HSG	WH1	I	700268
G9	1x40w	HSG	GR2	I	700269
G9	1x40w	HSG	AN3	I	700270

IK06 1J xx3 IP44



G9 clear
max 1x40W



QUASAR 4W


Halogen/Halogenlampen

G9	1x40w	HSG	WH1	I	700271
G9	1x40w	HSG	GR2	I	700272
G9	1x40w	HSG	AN3	I	700273

IK06 1J xx3 IP44



G9 clear
max 1x40W



QUASAR 1NB+1W


Halogen/Halogenlampen

G9	1x40w	HSG	WH1	I	700274
G9	1x40w	HSG	GR2	I	700275
G9	1x40w	HSG	AN3	I	700276

IK06 1J xx3 IP44




G9 clear
max 1x40W



PACKAGE SIZE / VERPACKUNGSMASSE

37 x 15 x 25 cm
(master x 6)

DISTANCE BETWEEN FIXING HOLES / BOHRLOCHABSTAND



LAMPHOLDER COLOUR CLASS COS φ CODE NOTES
 FASSUNG W ILCOS FARBE KLASSE KELVIN ≥ 0,9 EEI BESTELLNR. BEMERKNG. EURO




QUASAR CEILING

Halogen/Halogenlampen

GU10	1x50w	HAG	WH1	I	700277
GU10	1x50w	HAG	GR2	I	700278
GU10	1x50w	HAG	AN3	I	700279

IK06 1J xx3 IP40

GU10
max 1x50W



ACCESSORIES / ZUBEHÖR

DESCRIPTION / BESCHREIBUNG	COLOUR FARBE	CODE BESTELLNR.	EURO
Filter/Filter	RD1	710014	
Filter/Filter	YL1	710011	
Filter/Filter	GN1	710012	
Filter/Filter	BL1	710013	
Narrow grille screen/eng geriffelte Blende		710007	
Wide grille screen/breit geriffelte Blende		710008	
Triangular screen/Dreiecksblende		710009	
Filter holder screen/Filterträgerblende		710010	



710013 710012 710011 710014



710007






710008



710009




710010



PACKAGE SIZE / VERPACKUNGSMASSE

37 x 15 x 25 cm
(master x 6)

DISTANCE BETWEEN FIXING HOLES / BOHRLOCHABSTAND



NARROW BEAM LIGHT 35°
ENGSTRAHLER 35°



WH1
WHITE
WEISS



GR2
GLOSS METALLIC GREY
GRAU METALLIC, POLIERT



AN3
MAT METALLIC ANTHRACITE
ANTHRAZIT METALLIC, MATT